

Q.PEAK DUO BLK-G8+ 335-350

ENDURING HIGH PERFORMANCE



QCELLS



ANTI LID TECHNOLO







Q.ANTUM TECHNOLOGY: LOW LEVELISED COST OF ELECTRICITY

Higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to 19.8%.



INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behaviour.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



EXTREME WEATHER RATING

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



A RELIABLE INVESTMENT

Inclusive 25-year product warranty and 25-year linear performance warranty².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative 12-busbar design with Q.ANTUM Technology.

 1 APT test conditions according to IEC/TS 62804–1:2015, method B (–1500 V, 168h) 2 See data sheet on rear for further information.

THE IDEAL SOLUTION FOR:




Rooftop arrays on residential buildings



MECHANICAL SPECIFICATION

$1740\text{mm} \times 1030\text{mm} \times 32\text{mm}$ (including frame)			
19.9 kg			
3.2mm thermally pre-stressed glass with anti-reflection technology			
Composite film			
Black anodised aluminium			
6 × 20 monocrystalline Q.ANTUM solar half cells			
53-101 mm × 32-60 mm × 15-18 mm Protection class IP67, with bypass diodes			
4 mm² Solar cable; (+) ≥1150 mm, (-) ≥1150 mm			
Stäubli MC4, Hanwha Q CELLS HQC4, Amphenol UTX, Renhe 05-6, Tongling TL-Cable01S, JMTHY JM601; IP68 or Friends PV2e; IP67			




ELECTRICAL CHARACTERISTICS

PO	WER CLASS			335	340	345	350
MIN	NIMUM PERFORMANCE AT STANDA	RD TEST CONDITIO	NS, STC ¹ (POV	VER TOLERANCE +5 W /	-0W)		
Minimum	Power at MPP ¹	P _{MPP}	[W]	335	340	345	350
	Short Circuit Current ¹	I _{sc}	[A]	10.34	10.40	10.45	10.51
	Open Circuit Voltage ¹	V _{oc}	[V]	40.44	40.70	40.95	41.21
	Current at MPP	I _{MPP}	[A]	9.85	9.90	9.96	10.01
	Voltage at MPP	V _{MPP}	[V]	34.01	34.34	34.65	34.97
	Efficiency ¹	η	[%]	≥18.7	≥19.0	≥19.3	≥19.5
MIN	MIMUM PERFORMANCE AT NORMAI	OPERATING CON	DITIONS, NMO)T ²			
Minimum	Power at MPP	P _{MPP}	[W]	250.9	254.6	258.4	262.1
	Short Circuit Current	I _{sc}	[A]	8.33	8.38	8.42	8.47
	Open Circuit Voltage	V _{oc}	[V]	38.13	38.38	38.62	38.86
	Current at MPP	I _{MPP}	[A]	7.75	7.79	7.84	7.88
	Voltage at MPP	V _{MPP}	[V]	32.36	32.67	32.97	33.27


¹Measurement tolerances P_{MPP} ±3%; I_{Sci} V_{oc} ±5% at STC: 1000W/m², 25±2°C, AM 1.5 according to IEC 60904-3 • ²800 W/m², NMOT, spectrum AM 1.5

Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.54% degradation per year. At least 93.1% of nominal power up to 10 years. At least 85% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.



Typical module performance under low irradiance conditions in comparison to STC conditions (25 $^{\circ}\text{C},$ 1000 W/m²).

TEMPERATURE COEFFICIENTS

Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of V _{oc}	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.35	Nominal Module Operating Temperature	NMOT	[°C]	43±3

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage	$V_{\rm SYS}$	[V]	1000	Protection Class	II
Maximum Reverse Current	I _R	[A]	20	Fire Rating based on ANSI / UL 1703	C/TYPE 2
Max. Design Load, Push / Pull		[Pa]	3600/2667	Permitted Module Temperature	-40°C - +85°C
Max. Test Load, Push / Pull		[Pa]	5400/4000	on Continuous Duty	

QUALIFICATIONS AND CERTIFICATES

PACKAGING INFORMATION

VDE Quality Tested, IEC 61215:2016; IEC 61730:2016, Application Class II;	Number of Modules per Pallet	32
This data sheet complies with DIN EN 50380.	Number of Pallets per Trailer (24t)	28
	Number of Pallets per 40' HC-Container (26t)	26
	Pallet Dimensions (L × W × H)	1791×1130×1200mm
	Pallet Weight	681kg

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS GmbH

Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany | TEL +49 (0)3494 66 99-23444 | FAX +49 (0)3494 66 99-23000 | EMAIL sales@q-cells.com | WEB www.q-cells.com

